


# PIONEERS OF CRITICAL MEDICAL OZONE GENERATORS



INDIA :

**+91 974 888 345 9**

**(CALL / WHATSAPP)**



Globally Exclusive in the segment



TEAM WATERHOUSE  
(TWH) ARE THE  
MAKERS OF THE  
WORLD'S FIRST (AND  
STILL ONLY)

**AUTO-CALIBRATING,  
I-SENSOR-ENABLED**  
CRITICAL MEDICAL  
THERAPY OZONE  
GENERATORS.

[OxyzoneTherapy.com](http://OxyzoneTherapy.com)



INDIA'S LARGEST  
EXPORTERS OF MEDICAL  
OZONE GENERATORS

*since '95*

ONLY MANUFACTURER  
WORLDWIDE, TO BE  
SANCTIONED BY ALL THE  
MAJOR AIIMS HOSPITALS  
IN INDIA

*since 2002*

University Multiprofile Hospital for Active Treatment (Bulgaria)  
All India Institute of Medical Sciences  
Apollo Gleneagles Hospitals  
Sahyadri Group of Hospitals  
Columbia Asia Hospitals  
Atomic Energy Commission  
Amrutanjan Limited  
Dabur Ayurved Limited  
Calcutta Medical College  
Tata Motors  
& senior practitioners in Latin America, Europe & Asia.



1

ZEON MEDICAL

Webpage : [Click here](#)

O<sub>3</sub>



2

NISA P

Webpage : [Click here](#)

Further details on :

<https://OxyzoneTherapy.com>

Email: [office@teamwaterhouse.com](mailto:office@teamwaterhouse.com),  
[info@ozonepedia.com](mailto:info@ozonepedia.com)



INDIA :  
**+91 974 888 345 9,**  
**+91 99035 343 64.**

O<sub>3</sub>



3

OO19 GWP

Webpage : [Click here](#)



4

0023 GWP

Webpage : [Click here](#)

### Globally Exclusive Features

- Full Digital Display - displaying Real-time medical Ozone output
- I-Sensor mechanism : Auto-Corrects ozone output, even if ozone concentration is hampered due to fluctuation of external oxygen flow
- Constant oxygen flow. The Ozone is regulated by Ozone regulator
- Can be regulated precisely from 7-98 ug/ml
- Tropical-Climate Compatible (Patented)



# TOP-GRADE MODEL 0023 GWP (GLOBALLY EXCLUSIVE, AUTO-CALIBRATION TECH) : TECHNICAL SPECS



- Climate compatibility - Tropical Climate Compatible technology (Patented)
- Electronic Circuitry - Multi layer PTH, or equivalent, ensuring consistent Ozone output
- Sensors - Latest Generation I-Sensors inbuilt, for real-time ozone auto calibration
- Microprocessors - TW70up77 Microprocessors : Latest Generation imported FQS & ACMT microprocessors to support automatic calibration to I-Sensors
- Front Interface - **Digital LCD screen + Fully PressPanel interface (Soft buttons for easy, quick & sophisticated user experience)**
- Digital Display - **Real-time observation of actual ozone output on LCD display in terms of micrograms per ml, which can be reduced or increased, enabling critical treatments**
- Practitioner can digitally set the desired ozone level displayed on the LCD screen, by using the ozone regulator knob
- Timer - Available
- Ozone Regulator on Ozone Generator - Available
- Control Panel (Frontal interface) - Menu, Bypass option, Set, Up/Down, Ozone Regulator, Fuse, Oxygen Inlet, Ozone Outlet, Power**
- Functioning Indicators - Available
- Cooling of electrodes - Automatic Air cooled



0023 GWP

Website :

**OxyzoneTherapy.com**



## Globally Exclusive Features

- Full Digital Display - displaying Real-time medical Ozone output
- I-Sensor mechanism : Auto-Corrects ozone output, even if ozone concentration is hampered due to fluctuation of external oxygen flow
- Constant oxygen flow. The Ozone is regulated by Ozone regulator
- Can be regulated precisely from 7-98 ug/ml
- Tropical-Climate Compatible (Patented)

# TOP-GRADE MODEL 0023 GWP (GLOBALLY EXCLUSIVE, AUTO-CALIBRATION TECH): TECHNICAL SPECS

**Auto-Correcting mechanism** - Medical Ozone output decreases or increases as per fluctuation of oxygen flow & purity from external oxygen feed cylinders, which is uncontrollable - harming the medical procedures.

But in 0023GWP model, Medical Ozone output is automatically corrected to the desired ozone level set by practitioner, even if external oxygen feed fluctuates, with the help of **Swiss-make Sensors & Microprocessors.**

**This ensures highest success rates in medical procedures.**

**World's ONLY machine to have this feature.**

Electrode Technology - SG-Driven HFCD mechanism, powered by VC systems  
Electrode Material - SS 316 (Highest Medical-grade Ozone compatibility Index : OCI)

Dielectric - Ozone-Compatible Glass (Highest Medical-grade Ozone compatibility Index : OCI)

Feed gas flow rate - Usable for Oxygen feed upto 2 LPM

Oxygen Cylinder - Compatible for all, including Oxygen concentrators

**Ozone output regulation : 7-98 micrograms per ml**

Working time - Upto 24 hours a day

Power Supply - 220 V AC, Single phase, 50 Hz


Operating Temperature - minus 15 to plus 40 degrees celsius

Storage Temperature - minus 25 to plus 60 degrees celsius

Recommended O2 gas Purity - 89-94% Purity

Power consumption of the Ozonizer - 70 watts

Cabinet - Ozone-Proof



0023 GWP

Website :

**OxyzoneTherapy.com**

INDIA :

**+91 974 888 345 9,**

**+91 99035 343 64.**

**Watch Videos &  
read further details  
in the website**

Email: [office@teamwaterhouse.com](mailto:office@teamwaterhouse.com),  
[info@ozonepedia.com](mailto:info@ozonepedia.com)

# MAJOR THERAPIES



- CANCER CURE
- HIV TREATMENT
- PAIN THERAPY IN SPINE AND ARTHRITIS
- § OZONE DISCOLYSIS
- § OZONE NUCLEOTOMY
- § ARTHRITIC INJECTION
- VETERINARY OZONE THERAPIES
- DENTISTRY
- RECTAL OR EAR OR VAGINAL INSUFFLATIONS
- GYNECOLOGY
- OPHTHALMOLOGY
- AUTO-HAEMO THERAPY
- EBOO THERAPY
- EDTA CHELATION FOR TOXICITY REMOVAL
- CARDIAC DIALYSIS
- ANTI AGING OZONE THERAPY
- PREVENTION OF AERIAL CROSS INFECTION, ETC



& MORE...



India : +91 99035 34364



THE PIONEERS & INDIA'S  
LARGEST EXPORTERS of CRITICAL  
MEDICAL OZONE Generators.

The ONLY Global Manufacturer  
to be SANCTIONED, USED AND  
ADMIRER by ALL Major AIIMS  
Hospitals in India.

And the EXCLUSIVE MAKERS of  
the World's ONLY Auto-Correcting I-  
Sensor Enabled Critical Medical  
Ozone Generators.